► TASK Remove and reinstall transmission/transaxle and torque converter; inspect engine core plugs, rear crankshaft seal, dowel pins, dowel pinholes, and mating surfaces.

Time on\_

Time off\_

Total time\_

CDX Tasksheet Number: C604

- 1. Research the following torque specifications and transmission/transaxle removal and installation procedure in the appropriate service information.
  - a. Flexplate-to-crankshaft bolt torque: \_\_ \_\_ ft-lb/N·m b. Torque converter-to-flexplate bolt torque: \_\_\_\_\_\_ ft-lb/N·m c. Transmission-to-block bolt torque: \_\_\_\_ \_ ft-lb/N·m
  - d. Transmission fluid type: \_ e. Transmission fluid capacity: \_\_\_\_\_ qt/It
  - f. List or print off and attach to this sheet the procedure for removing and installing the transmission/transaxle:

- 2. Following the specified procedure, remove the transmission/transaxle from the vehicle.
- 3. Inspect the following components and list your observations.
  - a. Engine core plugs:
  - b. Rear crankshaft seal:
  - c. Dowel pins and holes:
  - d. Engine and bell-housing mating surfaces:

6/3/17 12:48 PM

- 5. Prepare the transmission to be reinstalled. Ensure that the torque converter is fully engaged in the transmission. Failure to do so may cause severe damage to the transmission/transaxle and the converter.
- 6. Have your instructor check that the converter is installed properly. Supervisor's/instructor's initials: \_\_\_\_\_
- 7. Position all wires, hoses, and tubes out of the way and in their specified positions. Secure them temporarily if necessary.

**NOTE** It is easy for wires and hoses to fall down and get pinched between the engine and bell housing. This will cause electrical issues in the vehicle as well as alignment issues with the transmission.

- 8. Following the specified procedure, reinstall the transmission/transaxle. Be sure to tighten all fasteners to the proper torque.
- 9. Refill the transmission/transaxle to the proper level.
- 10. Check that all cooler lines, electrical wires, linkages, and other removed components are properly installed and adjusted.
- 11. Have your instructor verify that the vehicle is ready to be started. Supervisor's/instructor's initials: \_\_\_\_\_
- 12. Place exhaust hose(s) over the exhaust pipe(s) and set the parking brake.
- 13. Start the vehicle and move the transmission selector through each gear. Check the transmission fluid level and top off as necessary.
- 14. Check for leaks, loose parts, or anything that isn't right with the transmission and the related parts. List your observation(s):
- 15. With your supervisor's/instructor's permission, test drive the vehicle to ensure the transmission operates correctly. List your observations:

© ZOIO JOHES & Dal tiett Leal IIIIIy, LLC, all Ascellu Leal IIIIIy Collipally

- 16. Double check your work and verify that there are no leaks and that everything is back in its proper place. List your observations:
- 17. Have your supervisor/instructor verify satisfactory completion of this procedure, any observations found, and any necessary action(s) recommended.

Automatic Transmission and Transaxle 311