	Remove, inspect, and reinstall receiver/drier or accumulator/drier; determine recommended oil type and quantity. MAST					
CDX Tasks	heet Number: C829					
Vehicle use	ed for this activity:					
	Make Model					
Odometer_	VIN					
1.	Research the procedure and specifications for removing, inspecting, and reinstalling the receiver/drier or accumulator/drier in the appropriate service information.					
	 a. Specified refrigerant oil type: b. Specified refrigerant oil quantity to add during replacement of the receiver/drier: oz/mL 					
	c. List or print off and attach to this sheet the steps to remove, inspect, and reinstall the receiver/drier:					
2	 Following the specified procedure, remove the receiver/drier or accumulator/drier from the vehicle. 					
3.	. Following the specified procedure, drain the refrigerant oil from the receiver/drier or accumulator/drier into a clean measuring container.					
	a. List the quantity of oil drained: oz/mL					
4	 Following the specified procedure, inspect the receiver/drier or accumulator/drier. List your observation(s): 					
5.	. Determine any necessary action(s):					
6	. Have your supervisor/instructor verify removal and your observations.					
0.	Supervisor's/instructor's initials:					
7.	Following the specified procedure, reinstall the receiver/drier or accumulator/drier. Be sure to add the proper quantity and type of new refrigerant oil.					
	a. List the quantity of oil added to the receiver/drier or accumulator/drier:					

_____oz/mL

© 2018 Jones & Bartlett Learning, LLC, an Ascend Learning Company

				1 —
0	1	2	3	

918 HVAC